

ACI MATERIALS JOURNAL

INDEX VOLUME 102, 2005

From a Journal of the American Concrete Institute, January through December 2005



American Concrete Institute®
Advancing concrete knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

INDEX

ACI Materials Journal, VOLUME 102, 2005

Remove this section and include it with your January through December 2005 Volume 102 issues of the *ACI Materials Journal*.

A

Adiabatic—Heat of hydration models for cementitious materials (102-M04) Schindler, A. K., and Foliard, K. J., Jan.-Feb. 2005 24
Aggregate
—Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) Assaad, J., and Khayat, K. H., Jan.-Feb. 2005 145
—Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 338
Air—Stability of fresh lightweight aggregate concrete under vibration (102-M40) Chia, K.-S.; Kho, C.-C.; and Zhang, M.-H., Sept.-Oct. 2005 347
Air content—Automated determination of entrained air-void parameters in hardened concrete (102-M06) Zhang, Z.; Ansari, F.; and Vitillo, N., Jan.-Feb. 2005 42
Air entraining admixture—Automated determination of entrained air-void parameters in hardened concrete (102-M06) Zhang, Z.; Ansari, F.; and Vitillo, N., Jan.-Feb. 2005 42
Air entrainment—Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 338
Air void—Automated determination of entrained air-void parameters in hardened concrete (102-M06) Zhang, Z.; Ansari, F.; and Vitillo, N., Jan.-Feb. 2005 42
Alkali—Degradation kinetics of pultruded e-glass/vinylester in alkaline media (102-M05) Karbhari, V. M., and Chu, W., Jan.-Feb. 2005 34
Alkali-aggregate reaction—Reactivity assessment of aggregates: role of chert crystallinity (102-M18) McNally, C., and Richardson, M. G., May-June 2005 163
Alkali-silica reaction—Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Multon, S.; Seignol, J.-F.; and Toutlemonde, F., Mar.-Apr. 2005 67
Al-Manaseer, A.—Statistical evaluation of shrinkage and creep models (102-M19) May-June 2005 170
Analytical model—Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 445
Ansari, F.—Automated determination of entrained air-void parameters in hardened concrete (102-M06) Jan.-Feb. 2005 42
Aoki, I.—Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Jan.-Feb. 2005 9
Aramid—Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 445
Artificial neural networks in prediction of concrete strength reduction due to high temperature (102-M11) Chiang, C.-H., and Yang, C.-C., Mar.-Apr. 2005 93
Ashour, A. F.—Modified ACI drop-weight impact test for concrete (102-M28) July-Aug. 2005 249
Assaad, J.
—Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) May-June 2005 145
—Formwork pressure for self-consolidating concrete made with various binder types and contents (102-M23) July-Aug. 2005 215
Automated determination of entrained air-void parameters in hardened concrete (102-M06) Zhang, Z.; Ansari, F.; and Vitillo, N., Jan.-Feb. 2005 42
Avoidance of blockages in concrete pumping process (102-M21) Kaplan, D.; de Larrard, F.; and Sedran, T., May-June 2005 183
Axial stress—Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 445

B

Badr, A.—Modified ACI drop-weight impact test for concrete (102-M28) July-Aug. 2005 249
Bai, J.—Microanalytical and computational analysis of class F fly ash (102-M38) Sept.-Oct. 2005 330
Banthia, N.—Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Nov.-Dec. 2005 382
Barbosa, P.—Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Jan.-Feb. 2005 9
Beam—Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Multon, S.; Seignol, J.-F.; and Toutlemonde, F., Mar.-Apr. 2005 67
Bieracki, J. J.—Microanalytical and computational analysis of class F fly ash (102-M38) Sept.-Oct. 2005 330
Binder—Formwork pressure of self-consolidating concrete made with various binder types and contents (102-M23) Assaad, J., and Khayat, K. H., July-Aug. 2005 215
Bleeding—Avoidance of blockages in concrete pumping process (102-M21) Kaplan, D.; de Larrard, F.; and Sedran, T., May-June 2005 183
Blockage—Avoidance of blockages in concrete pumping process (102-M21) Kaplan, D.; de Larrard, F.; and Sedran, T., May-June 2005 183
Bremmer, T. W.—Effects of calcium nitrate-based corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Jan.-Feb. 2005 3
Bungey, J. H.—Pullout test correlations and in-place strength assessment—the european concrete frame building project (102-M48) Nov.-Dec. 2005 422
Burgoyne, C. J.—Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Nov.-Dec. 2005 445

C

Cairns, J.—Mechanical properties of corrosion-damaged reinforcement (102-M29) July-Aug. 2005 256
Cannon, R. W.—Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Sept.-Oct. 2005 338
Carbon—Strength and elastic modulus of carbonated concrete (102-M36) Chang, C.-F., and Chen, J.-W., Sept.-Oct. 2005 315
Cast-in-place cellulose fiber-reinforced cement paste, mortar, and concrete (102-M34) Rapoport, J. R., and Shah, S. P., Sept.-Oct. 2005 299
Cement
—Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 338
—Pultruded fabric-cement composites (102-M03) Peled, A., and Mobasher, B., Jan.-Feb. 2005 15
—Strain-sensing characteristics of carbon fiber-reinforced cement (102-M27) Wen, S., and Chung, D. L., July-Aug. 2005 244
—Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Morris, P. H., and Dux, P. F., Nov.-Dec. 2005 390
Cement volume density—Characterization of microstructure of interfacial transition zone in concrete (102-M30) Zheng, J. J.; Li, C. Q.; and Zhou, X. Z., July-Aug. 2005 265
Chang, C.-F.—Strength and elastic modulus of carbonated concrete (102-M36) Sept.-Oct. 2005 315
Chao, H.—Shear wave velocity in concrete cylinders (piles)—universal mode method (102-M17) May-June 2005 154
Characterization of microstructure of interfacial transition zone in concrete (102-M30) Zheng, J. J.; Li, C. Q.; and Zhou, X. Z., July-Aug. 2005 265
Chen, C.-M.—Tracking concrete strength under variable high temperature (102-M37) Sept.-Oct. 2005 322
Chen, J.-W.—Strength and elastic modulus of carbonated concrete (102-M36) Sept.-Oct. 2005 315
Chert—Reactivity assessment of aggregates: role of chert crystallinity (102-M18) McNally, C., and Richardson, M. G., May-June 2005 163
Chia, K.-S.—Stability of fresh lightweight aggregate concrete under vibration (102-M40) Sept.-Oct. 2005 347
Chiang, C.-H.
—Artificial neural networks in prediction of concrete strength reduction due to high temperature (102-M11) Mar.-Apr. 2005 93

| | |
|--|-----|
| —Tracking concrete strength under variable high temperature (102-M37) Sept.-Oct. 2005 | 322 |
| Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) Sujavanich, S.; Sida, V.; and Suwanvitaya, P., May-June 2005 | 177 |
| Chu, W. —Degradation kinetics of pultruded e-glass/vinylester in alkaline media (102-M05) Jan.-Feb. 2005 | 34 |
| Chun, Y.-M. —Concrete with paper industry fibrous residuals: mixture proportioning (102-M26) July-Aug. 2005 | 237 |
| Chung, D. D. L. —Strain-sensing characteristics of carbon fiber-reinforced cement (102-M27) July-Aug. 2005 | 244 |
| Coefficient of thermal expansion —In-place modulus of elasticity for high-performance concrete bridge (102-M52) Hughes, E. A.; Liang, Z.; Idriss, R. L.; and Newtonson, C. M., Nov.-Dec. 2005 | 454 |
| Coefficient of variation —Modified ACI drop-weight impact test for concrete (102-M28) Badr, A., and Ashour, A. F., July-Aug. 2005 | 249 |
| Column —Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) Assaad, J., and Khayat, K. H., May-June 2005 | 145 |
| Composite | |
| —Pultruded fabric-cement composites (102-M03) Peled, A., and Mobasher, B., Jan.-Feb. 2005 | 15 |
| —Strength and elastic modulus of carbonated concrete (102-M36) Chang, C.-F., and Chen, J.-W., Sept.-Oct. 2005 | 315 |
| Compression | |
| —Strength and elastic modulus of carbonated concrete (102-M36) Chang, C.-F., and Chen, J.-W., Sept.-Oct. 2005 | 315 |
| —Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 | 445 |
| Compressive strength | |
| —Concrete with paper industry fibrous residuals: mixture proportioning (102-M26) Chun, Y.-M., and Naik, T. R., July-Aug. 2005 | 237 |
| —Effects of calcium nitrate-base corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Jan.-Feb. 2005 | 3 |
| —Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Sengul, O.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2005 | 414 |
| —Methodology of neural identification of strength of concrete (102-M53) Hola, J., and Schabowicz, K., Nov.-Dec. 2005 | 459 |
| —Sulfate attack of mortars containing recycled fine aggregates (102-M24) Lee, S. T.; Moon, H. Y.; Swamy, R. N.; Kim, S. S.; and Kim, J. P., July-Aug. 2005 | 224 |
| —Temperature effects on strength evaluation of cement-based materials with ultrasonic wave reflection technique (102-M31) Sun, Z.; Voigt, T.; and Shah, S. P., July-Aug. 2005 | 272 |
| Concrete | |
| —Automated determination of entrained air-void parameters in hardened concrete (102-M06) Zhang, Z.; Ansari, F.; and Vitillo, N., Jan.-Feb. 2005 | 42 |
| —Characterization of microstructure of interfacial transition zone in concrete (102-M30) Zheng, J.J.; Li, C.Q.; and Zhou, X.Z., July-Aug. 2005 | 265 |
| —Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) Sujavanich, S.; Sida, V.; and Suwanvitaya, P., May-June 2005 | 177 |
| —Concrete with paper industry fibrous residuals: mixture proportioning (102-M26) Chun, Y.-M., and Naik, T. R., July-Aug. 2005 | 237 |
| —Effect of chloride source concentration on chloride diffusivity in concrete (102-M33) Zhang, T., and Gjorv, O. E., Sept.-Oct. 2005 | 295 |
| —Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Banthia, N., and Soleimani, S. M., Nov.-Dec. 2005 | 382 |
| —Formwork pressure of self-consolidating concrete made with various binder types and contents (102-M23) Assaad, J., and Khayat, K. H., July-Aug. 2005 | 215 |
| —Methodology of neural identification of strength of concrete (102-M53) Hola, J., and Schabowicz, K., Nov.-Dec. 2005 | 459 |
| —New viscometer for measuring flow properties of fluid concrete (102-M45) Roshavelov, T. T., Nov.-Dec. 2005 | 397 |
| —Review of ACI recommendations for prevention of plastic cracking, A (102-M35) Morris, P. H., and Dux, P. F., Sept.-Oct. 2005 | 307 |
| —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 | 86 |
| —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Morris, P. H., and Dux, P. F., Nov.-Dec. 2005 | 390 |
| —Tracking concrete strength under variable high temperature (102-M37) Tsai, C.-L.; Chiang, C.-H.; Yang, C.-C.; and Chen, C.-M., Sept.-Oct. 2005 | 322 |
| Concrete with paper industry fibrous residuals: mixture proportioning (102-M26) Chun, Y.-M., and Naik, T. R., July-Aug. 2005 | 237 |
| Consolidation —Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 | 338 |
| Controlled low-strength materials | |
| —Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Nov.-Dec. 2005 | 429 |
| —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) Trejo, D.; Halmen, C.; Folliard, K. J.; and Du, L., May-June 2005 | 192 |
| Corrosion | |
| —Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) Sujavanich, S.; Sida, V.; and Suwanvitaya, P., May-June 2005 | 177 |
| —Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Nov.-Dec. 2005 | 429 |
| —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) Trejo, D.; Halmen, C.; Folliard, K. J.; and Du, L., May-June 2005 | 192 |
| —Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (102-M32) Mammoliti, L., and Hansson, C. M., July-Aug. 2005 | 279 |
| —Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Monteiro, P. J. M.; Helene, P.; Aoki, I.; Barbosa, P.; and Monteiro, E., Jan.-Feb. 2005 | 9 |
| —Mechanical properties of corrosion-damaged reinforcement (102-M29) Cairns, J.; Plizzari, G. A.; Du, Y.; Law, D. W.; and Franzoni, C., July-Aug. 2005 | 256 |
| —Surface condition effects on critical chloride threshold of steel reinforcement (102-M12) Pillai, R. G., and Trejo, D., Mar.-Apr. 2005 | 103 |
| Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Nov.-Dec. 2005 | 429 |
| Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) Trejo, D.; Halmen, C.; Folliard, K. J.; and Du, L., May-June 2005 | 192 |
| Coupling —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) Trejo, D.; Halmen, C.; Folliard, K. J.; and Du, L., May-June 2005 | 192 |
| Crack —A review of ACI recommendations for prevention of plastic cracking (102-M35) Morris, P. H., and Dux, P. F., Sept.-Oct. 2005 | 307 |
| Cracking | |
| —Effects of shock vibration on concrete (102-M46) Kwan, A. K. H.; Zheng, W.; and Ng, I. Y. T., Nov.-Dec. 2005 | 405 |
| —Pultruded fabric-cement composites (102-M03) Peled, A., and Mobasher, B., Jan.-Feb. 2005 | 15 |
| Creep —Statistical evaluation of shrinkage and creep models (102-M19) Al-Manaseer, A., and Lam, J.-P., May-June 2005 | 170 |
| Curing | |
| —Pullout test correlations and in-place strength assessment—the european concrete frame building project (102-M48) Soutsos, M. N.; Bungey, J. H.; and Long, A. E., Nov.-Dec. 2005 | 422 |
| —Temperature effects on strength evaluation of cement-based materials with ultrasonic wave reflection technique (102-M31) Sun, Z.; Voigt, T.; and Shah, S. P., July-Aug. 2005 | 272 |
| Cylinder —Design of concrete pumping circuit (102-M13) Kaplan, D.; de Larrard, F.; and Sedran, T., Mar.-Apr. 2005 | 110 |

D

| | |
|---|-----|
| Damage —Nonlinear ultrasonic testing with resonant and pulse velocity parameters for early damage in concrete (102-M14) Stauffer, J. D.; Woodward, C. B.; and White, K. R., Mar.-Apr. 2005 | 118 |
| de Larrard, F. | |
| —Avoidance of blockages in concrete pumping process (102-M21) May-June 2005 | 183 |
| —Design of concrete pumping circuit (102-M13) Mar.-Apr. 2005 | 110 |
| Degradation kinetics of pultruded e-glass/vinylester in alkaline media (102-M05) Karbhari, V. M., and Chu, W., Jan.-Feb. 2005 | 34 |
| Density —Stability of fresh lightweight aggregate concrete under vibration (102-M40) Chia, K.-S.; Kho, C.-C.; and Zhang, M.-H., Sept.-Oct. 2005 | 347 |
| Design of concrete pumping circuit (102-M13) Kaplan, D.; de Larrard, F.; and Sedran, T., Mar.-Apr. 2005 | 110 |
| Deterioration —Degradation kinetics of pultruded e-glass/vinylester in | |

| | |
|--|-----|
| alkaline media (102-M05) Karbhari, V. M., and Chu, W., Jan.-Feb. 2005 | 34 |
| Diffusivity —Effect of chloride source concentration on chloride diffusivity in concrete (102-M33) Zhang, T., and Gjorv, O. E., Sept.-Oct. 2005 | 295 |
| Ding, Z. —High-early-strength magnesium phosphate cement with fly ash (102-M42) Nov.-Dec. 2005 | 375 |
| Drying shrinkage —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 | 86 |
| Drying shrinkage of concrete reinforced with fibers and welded-wire fabric (101-M26) | |
| —Disc. by Lankard, D., Mar.-Apr. 2005 | 130 |
| Dynamic size effect in normal- and high-strength concrete cylinders (102-M09) Elfahal, M. M., and Krauthammer, T., Mar.-Apr. 2005 | 77 |
| Du, L. | |
| —Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Nov.-Dec. 2005 | 429 |
| —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) May-June 2005 | 192 |
| Du, Y. —Mechanical properties of corrosion-damaged reinforcement (102-M29) July-Aug. 2005 | 256 |
| Ductility —Mechanical properties of corrosion-damaged reinforcement (102-M29) Cairns, J.; Plizzari, G. A.; Du, Y.; Law, D. W.; and Franzoni, C., July-Aug. 2005 | 256 |
| Durability | |
| —Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Halmen, C.; Trejo, D.; Foliard, K. J.; and Du, L., Nov.-Dec. 2005 | 429 |
| —Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (102-M32) Mammoliti, L., and Hansson, C. M., July-Aug. 2005 | 279 |
| —Mixture proportioning and properties of self-consolidating lightweight concrete containing glass powder (102-M41) Shi, C., and Wu, Y., Sept.-Oct. 2005 | 355 |
| Dux, P. F. | |
| —Review of ACI recommendations for prevention of plastic cracking, a (102-M35) Sept.-Oct. 2005 | 307 |
| —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Nov.-Dec. 2005 | 390 |
| E | |
| Early ages (of concrete) —Microstructure and early-age properties of portland cement paste—effects of connectivity of solid phases (102-M15) Sun, Z.; Ye, G.; and Shah, S. P., Mar.-Apr. 2005 | 122 |
| Effect of chloride source concentration on chloride diffusivity in concrete (102-M33) Zhang, T., and Gjorv, O. E., Sept.-Oct. 2005 | 295 |
| Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) Assaad, J., and Khayat, K. H., May-June 2005 | 145 |
| Effects of calcium nitrate-based corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Montes, B.; Brenner, T. W.; and Mrawira, D., Jan.-Feb. 2005 | 3 |
| Effects of shock vibration on concrete (102-M46) Kwan, A. K. H.; Zheng, W.; and Ng, I. Y. T., Nov.-Dec. 2005 | 405 |
| Elastic modulus —Strength and elastic modulus of carbonated concrete (102-M36) Chang, C.-F., and Chen, J.-W., Sept.-Oct. 2005 | 315 |
| Elfahal, M. M. —Dynamic size effect in normal- and high-strength concrete cylinders (102-M09) Mar.-Apr. 2005 | 77 |
| Expansion | |
| —Reactivity assessment of aggregates: role of chert crystallinity (102-M18) McNally, C., and Richardson, M. G., May-June 2005 | 163 |
| —Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Multon, S.; Seignol, J.-F.; and Toutlemonde, F., Mar.-Apr. 2005 | 67 |
| —Sulfate attack of mortars containing recycled fine aggregates (102-M24) Lee, S. T.; Moon, H. Y.; Swamy, R. N.; Kim, S. S.; and Kim, J. P., July-Aug. 2005 | 224 |
| Exposure —Artificial neural networks in prediction of concrete strength reduction due to high temperature (102-M11) Chiang, C.-H., and Yang, C.-C., Mar.-Apr. 2005 | 93 |
| F | |
| Failure | |
| —Dynamic size effect in normal- and high-strength concrete cylinders (102-M09) Elfahal, M. M., and Krauthammer, T., Mar.-Apr. 2005 | 77 |
| —Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Singh, S. P.; Mohammadi, Y.; and Kaushik, S. K., Nov.-Dec. 2005 | 438 |
| Fatigue —Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Singh, S. P.; Mohammadi, Y.; and Kaushik, S. K., Nov.-Dec. 2005 | 438 |
| Fiber-reinforced concrete —Modified ACI drop-weight impact test for concrete (102-M28) Badr, A., and Ashour, A. F., July-Aug. 2005 | 249 |
| Fiber-reinforced polymer —Degradation kinetics of pultruded e-glass/vinylester in alkaline media (102-M05) Karbhari, V. M., and Chu, W., Jan.-Feb. 2005 | 34 |
| Fibers | |
| —Cast-in-place cellulose fiber-reinforced cement paste, mortar, and concrete (102-M34) Rapoport, J. R., and Shah, S. P., Sept.-Oct. 2005 | 299 |
| —Concrete with paper industry fibrous residuals: mixture proportioning (102-M26) Chun, Y.-M., and Naik, T. R., July-Aug. 2005 | 237 |
| —Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Singh, S. P.; Mohammadi, Y.; and Kaushik, S. K., Nov.-Dec. 2005 | 438 |
| —Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Banthia, N., and Soleimani, S. M., Nov.-Dec. 2005 | 382 |
| —Strain-sensing characteristics of carbon fiber-reinforced cement (102-M27) Wen, S., and Chung, D. L., July-Aug. 2005 | 244 |
| —Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 | 445 |
| Fine aggregate —Sulfate attack of mortars containing recycled fine aggregates (102-M24) Lee, S. T.; Moon, H. Y.; Swamy, R. N.; Kim, S. S.; and Kim, J. P., July-Aug. 2005 | 224 |
| Finno, R. J. —Shear wave velocity in concrete cylinders (piles)—universal mode method (102-M17) May-June 2005 | 154 |
| Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Singh, S. P.; Mohammadi, Y.; and Kaushik, S. K., Nov.-Dec. 2005 | 438 |
| Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Banthia, N., and Soleimani, S. M., Nov.-Dec. 2005 | 382 |
| Flexural strength —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 | 86 |
| Flow —New viscometer for measuring flow properties of fluid concrete (102-M45) Roshavelov, T. T., Nov.-Dec. 2005 | 397 |
| Fly ash | |
| —Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) Sujavanich, S.; Sida, V.; and Suwanvitaya, P., May-June 2005 | 177 |
| —Effects of calcium nitrate-based corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Montes, P.; Brenner, T. W.; and Mrawira, D., Jan.-Feb. 2005 | 3 |
| —Heat of hydration models for cementitious materials (102-M04) Schindler, A. K., and Foliard, K. J., Jan.-Feb. 2005 | 24 |
| —High-early-strength magnesium phosphate cement with fly ash (102-M42) Ding, Z., and Li, Z., Nov.-Dec. 2005 | 375 |
| —Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Sengul, O.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2005 | 414 |
| —Microanalytical and computational analysis of class F fly ash (102-M38) Williams, P. J.; Biernacki, J. J.; Rawn, C. J.; Walker, L.; and Bai, J., Sept.-Oct. 2005 | 330 |
| —Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 | 338 |
| Foliard, K. J. | |
| —Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Nov.-Dec. 2005 | 429 |
| —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) May-June 2005 | 192 |
| —Heat of hydration models for cementitious materials (102-M04) Jan.-Feb. 2005 | 24 |
| Formwork —Formwork pressure of self-consolidating concrete made with various binder types and contents (102-M23) Assaad, J., and Khayat, K. H., July-Aug. 2005 | 215 |
| Formwork pressure of self-consolidating concrete made with various binder types and contents (102-M23) Assaad, J., and Khayat, K. H., July-Aug. 2005 | 215 |
| Fracture —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Morris, P. H., and Dux, P. F., Nov.-Dec. 2005 | 390 |
| Franzoni, C. —Mechanical properties of corrosion-damaged reinforcement (102-M29) July-Aug. 2005 | 256 |

G

Gjørv, O. E.—Effect of chloride source concentration on chloride diffusivity in concrete (102-M33) Sept.-Oct. 2005 295
Glass fiber—Degradation kinetics of pultruded e-glass/vinylester in alkaline media (102-M05) Karbhari, V. M., and Chu, W., Jan.-Feb. 2005 34
Glisic, B.—Three-day prediction of concrete compressive strength evolution (102-M25) July-Aug. 2005 231

H**Halmen, C.**

—Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Nov.-Dec. 2005 429
 —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) May-June 2005 192
Hansson, C. M.—Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (102-M32) July-Aug. 2005 279
Hauser, G.—Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Jan.-Feb. 2005 49
Heat of hydration—Heat of hydration models for cementitious materials (102-M04) Schindler, A. K., and Folliard, K. J., Jan.-Feb. 2005 24
Heat of hydration models for cementitious materials (102-M04) Schindler, A. K., and Folliard, K. J., Jan.-Feb. 2005 24
Helene, P.—Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Jan.-Feb. 2005 9
High-early-strength magnesium phosphate cement with fly ash (102-M42) Ding, Z., and Li, Z., Nov.-Dec. 2005 375
High-performance concrete

—Effects of calcium nitrate-based corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Jan.-Feb. 2005 3
 —In-place modulus of elasticity for high-performance concrete bridge (102-M52) Hughs, E. A.; Liang, Z.; Idriss, R. L.; and Newtonson, C. M., Nov.-Dec. 2005 454

High-strength concrete

—Dynamic size effect in normal- and high-strength concrete cylinders (102-M09) Elfahal, M. M., and Krauthammer, T., Mar.-Apr. 2005 77
 —Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Sengul, O.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2005 414
Hola, J.—Methodology of neural identification of strength of concrete (102-M53) Nov.-Dec. 2005 459
Hughs, E. A.—In-place modulus of elasticity for high-performance concrete bridge (102-M52) Nov.-Dec. 2005 454
Hydration—Three-day prediction of concrete compressive strength evolution (102-M25) Viviani, M.; Glisic, B.; and Smith, I. F. C., July-Aug. 2005 231

I

Idriss, R. L.—In-place modulus of elasticity for high-performance concrete bridge (102-M52) Nov.-Dec. 2005 454
Impact—Dynamic size effect in normal- and high-strength concrete cylinders (102-M09) Elfahal, M. M., and Krauthammer, T., Mar.-Apr. 2005 77
Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (102-M32) Mammoliti, L., and Hansson, C. M., July-Aug. 2005 279
Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Naaman, A. E.; Wongtanakitcharoen, T.; and Hauser, G., Jan.-Feb. 2005 49
Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Monteiro, P. J. M.; Helene, P.; Aoki, I.; Barbosa, P.; and Monteiro, E., Jan.-Feb. 2005 9
In-place modulus of elasticity for high-performance concrete bridge (102-M52) Hughs, E. A.; Liang, Z.; Idriss, R. L.; and Newtonson, C. M., Nov.-Dec. 2005 454

K

Kaplan, D.
 —Avoidance of blockages in concrete pumping process (102-M21) May-June 2005 183
 —Design of concrete pumping circuit (102-M13) Mar.-Apr. 2005 110
Karbhari, V. M.—Degradation kinetics of pultruded e-glass/vinylester in alkaline media (102-M05) Jan.-Feb. 2005 34
Kaushik, S. K.—Flexural fatigue analysis of steel fibrous concrete

containing mixed fibers (102-M50) Nov.-Dec. 2005 438
Kim, J. P.—Sulfate attack of mortars containing recycled fine aggregates (102-M24) July-Aug. 2005 224
Kim, S. S.—Sulfate attack of mortars containing recycled fine aggregates (102-M24) July-Aug. 2005 224
Khayat, K. H.
 —Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) May-June 2005 145
 —Formwork pressure for self-consolidating concrete made with various binder types and contents (102-M23) July-Aug. 2005 215
Kho, C.-C.—Stability of fresh lightweight aggregate concrete under vibration (102-M40) Sept.-Oct. 2005 347
Krauthammer, T.—Dynamic size effect in normal- and high-strength concrete cylinders (102-M08) Mar.-Apr. 2005 77
Kwan, A. K. H.—Effects of shock vibration on concrete (102-M46) Nov.-Dec. 2005 405

L

Lam, J.-P.—Statistical evaluation of shrinkage and creep models (102-M19) May-June 2005 170
Law, D. W.—Mechanical properties of corrosion-damaged reinforcement (102-M29) July-Aug. 2005 256
Lee, S. T.—Sulfate attack of mortars containing recycled fine aggregates (102-M24) July-Aug. 2005 224
Leung, H. Y.—Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Nov.-Dec. 2005 445
Li, C. Q.—Characterization of microstructure of interfacial transition zone in concrete (102-M30) July-Aug. 2005 265
Li, L.—Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Mar.-Apr. 2005 86
Li, Z.—High-early-strength magnesium phosphate cement with fly ash (102-M42) Nov.-Dec. 2005 375
Liang, Z.—In-place modulus of elasticity for high-performance concrete bridge (102-M52) Nov.-Dec. 2005 454
Lightweight aggregate
 —Mixture proportioning and properties of self-consolidating lightweight concrete containing glass powder (102-M41) Shi, C., and Wu, Y., Sept.-Oct. 2005 355
 —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 86
 —Stability of fresh lightweight aggregate concrete under vibration (102-M40) Chia, K.-S.; Kho, C.-C.; and Zhang, M.-H., Sept.-Oct. 2005 347
Linear traverse method—Automated determination of entrained air-void parameters in hardened concrete (102-M06) Zhang, Z.; Ansari, F.; and Vitillo, N., Jan.-Feb. 2005 42
Long, A. E.—Pullout test correlations and in-place strength assessment—the european concrete frame building project (102-M48) Nov.-Dec. 2005 422

M

Mammoliti, L.—Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (102-M32) July-Aug. 2005 279
Maturity—Three-day prediction of concrete compressive strength evolution (102-M25) Viviani, M.; Glisic, B.; and Smith, I. F. C., July-Aug. 2005 231
McNally, C.—Reactivity assessment of aggregates: role of chert crystallinity (102-M18) May-June 2005 163
Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Sengul, O.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2005 414
Mechanical properties of corrosion-damaged reinforcement (102-M29) Cairns, J.; Plizzari, G. A.; Du, Y.; Law, D. W.; and Franzoni, C., July-Aug. 2005 256
Methodology of neural identification of strength of concrete (102-M53) Hola, J., and Schabowicz, K., Nov.-Dec. 2005 459
Microanalytical and computational analysis of class F fly ash (102-M38) Williams, P. J.; Biernacki, J. J.; Rawn, C. J.; Walker, L.; and Bai, J., Sept.-Oct. 2005 330
Microcracking—Nonlinear ultrasonic testing with resonant and pulse velocity parameters for early damage in concrete (102-M14) Stauffer, J. D.; Woodward, C. B.; and White, K. R., Mar.-Apr. 2005 118
Microstructure and early-age properties of portland cement paste—effects of connectivity of solid phases (102-M15) Sun, Z.; Ye, G.; and

| | |
|---|-----|
| Shah, S. P., Mar.-Apr. 2005 | 122 |
| Mill scale —Surface condition effects on critical chloride threshold of steel reinforcement (102-M12) Pillai, R. G., and Trejo, D., Mar.-Apr. 2005 | 103 |
| Mixture proportion —Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 | 338 |
| Mixture proportioning —Mixture proportioning and properties of self-consolidating lightweight concrete containing glass powder (102-M41) Shi, C., and Wu, Y., Sept.-Oct. 2005 | 355 |
| Mixture proportioning and properties of self-consolidating lightweight concrete containing glass powder (102-M41) Shi, C., and Wu, Y., Sept.-Oct. 2005 | 355 |
| Mobasher, B. —Pultruded fabric-cement composites (102-M03) Jan.-Feb. 2005 | 15 |
| Modeling portland blast-furnace slag cement high-performance concrete (101-M41) | |
| —Disc. by Luther, M. D., July-Aug. 2005 | 286 |
| Modified ACI drop-weight impact test for concrete (102-M28) Badr, A., and Ashour, A. F., July-Aug. 2005 | 249 |
| Modulus of elasticity | |
| —Microstructure and early-age properties of portland cement paste—effects of connectivity of solid phases (102-M15) Sun, Z.; Ye, G.; and Shah, S. P., Mar.-Apr. 2005 | 122 |
| —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 | 86 |
| Mohammadi, Y. —Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Nov.-Dec. 2005 | 438 |
| Monteiro, E. —Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Jan.-Feb. 2005 | 9 |
| Monteiro, P. J. M. —Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Jan.-Feb. 2005 | 9 |
| Montes, B. —Effects of calcium nitrate-based corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Jan.-Feb. 2005 | 3 |
| Moon, H. Y. —Sulfate attack of mortars containing recycled fine aggregates (102-M24) July-Aug. 2005 | 224 |
| Morris, P. H. | |
| —Review of ACI recommendations for prevention of plastic cracking, A (102-M35) Sept.-Oct. 2005 | 307 |
| —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Nov.-Dec. 2005 | 390 |
| Mortar —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Morris, P. H.; and Dux, P. F., Nov.-Dec. 2005 | 390 |
| Mrawira, D. —Effects of calcium nitrate-based corrosion inhibitor and fly ash on compressive strength of high-performance concrete (102-M01) Jan.-Feb. 2005 | 3 |
| Multon, S. —Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Mar.-Apr. 2005 | 67 |
| N | |
| Naaman, A. E. —Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Jan.-Feb. 2005 | 49 |
| Naik, T. R. —Concrete with paper industry fibrous residuals: mixture proportioning (102-M26) July-Aug. 2005 | 237 |
| New viscometer for measuring flow properties of fluid concrete (102-M45) Roshavelov, T. T., Nov.-Dec. 2005 | 397 |
| Newton, C. M. —In-place modulus of elasticity for high-performance concrete bridge (102-M52) Nov.-Dec. 2005 | 454 |
| Ng, I. Y. T. —Effects of shock vibration on concrete (102-M46) Nov.-Dec. 2005 | 405 |
| Nonlinear ultrasonic testing with resonant and pulse velocity parameters for early damage in concrete (102-M14) Stauffer, J. D.; Woodward, C. B.; and White, K. R., Mar.-Apr. 2005 | 118 |
| P | |
| Paramasivam, P. —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Mar.-Apr. 2005 | 86 |
| Particle size distribution —Characterization of microstructure of interfacial transition zone in concrete (102-M30) Zheng, J. J.; Li, C. Q.; and Zhou, X. Z., July-Aug. 2005 | 265 |
| Peled, A. —Pultruded fabric-cement composites (102-M03) Jan.-Feb. 2005 | 15 |
| Pillai, R. G. —Surface condition effects on critical chloride threshold of steel reinforcement (102-M12) Mar.-Apr. 2005 | 103 |
| Plastic —Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) Assaad, J., and Khayat, K. H., May-June 2005 | 145 |
| Plastic cracking —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Morris, P. H., and Dux, P. F., Nov.-Dec. 2005 | 390 |
| Plastic shrinkage cracks —Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Naaman, A. E.; Wongtanakitcharoen, T.; and Hauser, G., Jan.-Feb. 2005 | 49 |
| Pizzari, G. A. —Mechanical properties of corrosion-damaged reinforcement (102-M29) July-Aug. 2005 | 256 |
| Poisson's ratio —Shear wave velocity in concrete cylinders (piles)—universal mode method (102-M17) Finno, R. J., and Chao, H., May-June 2005 | 154 |
| Polyethylene —Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Naaman, A. E.; Wongtanakitcharoen, T.; and Hauser, G., Jan.-Feb. 2005 | 49 |
| Polyvinyl acetate —Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Naaman, A. E.; Wongtanakitcharoen, T.; and Hauser, G., Jan.-Feb. 2005 | 49 |
| Portland cement —Microstructure and early-age properties of portland cement paste—effects of connectivity of solid phases (102-M15) Sun, Z.; Ye, G.; and Shah, S. P., Mar.-Apr. 2005 | 122 |
| Pozzolan | |
| —Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Sengul, O.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2005 | 414 |
| —Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 | 338 |
| Precast concrete products using industrial by-products (101-M22) | |
| —Disc. by Smith, D. R., Mar.-Apr. 2005 | 130 |
| Prestressed concrete —In-place modulus of elasticity for high-performance concrete bridge (102-M52) Hughs, E. A.; Liang, Z.; Idriss, R. L.; and Newton, C. M., Nov.-Dec. 2005 | 454 |
| Process | |
| —Avoidance of blockages in concrete pumping process (102-M21) Kaplan, D.; de Larrard, F.; and Sedran, T., May-June 2005 | 183 |
| —Pultruded fabric-cement composites (102-M03) Peled, A., and Mobasher, B., Jan.-Feb. 2005 | 15 |
| Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 | 338 |
| Pullout test correlations and in-place strength assessment—the European concrete frame building project (102-M48) Soutsos, M. N.; Bunney, J. H.; and Long, A. E., Nov.-Dec. 2005 | 422 |
| Pulse velocity —Artificial neural networks in prediction of concrete strength reduction due to high temperature (102-M11) Chiang, C.-H., and Yang, C.-C., Mar.-Apr. 2005 | 93 |
| Pultruded fabric-cement composites (102-M03) Peled, A., and Mobasher, B., Jan.-Feb. 2005 | 15 |
| Pumped concrete —Avoidance of blockages in concrete pumping process (102-M21) Kaplan, D.; de Larrard, F.; and Sedran, T., May-June 2005 | 183 |
| Pumping —Design of concrete pumping circuit (102-M13) Kaplan, D.; de Larrard, F.; and Sedran, T., Mar.-Apr. 2005 | 110 |
| R | |
| Rapoport, J. R. —Cast-in-place cellulose fiber-reinforced cement paste, mortar, and concrete (102-M34) Sept.-Oct. 2005 | 299 |
| Rawn, C. J. —Microanalytical and computational analysis of class F fly ash (102-M38) Sept.-Oct. 2005 | 330 |
| Reactivity assessment of aggregates: role of chert crystallinity (102-M18) McNally, C., and Richardson, M. G., May-June 2005 | 163 |
| Reinforced concrete —Influence of water-cement ratio and cover thickness on chloride extraction of reinforced concrete (102-M02) Monteiro, P. J. M.; Helene, P.; Aoki, I.; Barbosa, P.; and Monteiro, E., Jan.-Feb. 2005 | 9 |
| Reinforcement | |
| —Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (102-M32) Mammoliti, L., and Hansson, C. M., July-Aug. 2005 | 279 |
| —Mechanical properties of corrosion-damaged reinforcement (102-M29) Cairns, J.; Pizzari, G. A.; Du, Y.; Law, D. W.; and Franzoni, C., July-Aug. 2005 | 256 |
| —Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Multon, S.; Seignol, J.-F.; and Toutlemonde, F., Mar.-Apr. 2005 | 67 |
| Relative humidity —Suctions, fracture energy, and plastic cracking of cement mortar and concrete (102-M44) Morris, P. H., and Dux, P. F., Nov.-Dec. 2005 | 390 |

| | | |
|---|--|-----|
| Restraint of concrete | Influence of different fibers on plastic shrinkage cracking of concrete (102-M07) Naaman, A. E.; Wongtanakitcharoen, T.; and Hauser, G., Jan.-Feb. 2005 | 49 |
| Review of ACI recommendations for prevention of plastic cracking, a | (102-M35) Morris, P. H., and Dux, P. F., Sept.-Oct. 2005 | 307 |
| Rheology | | |
| —Cast-in-place cellulose fiber-reinforced cement paste, mortar, and concrete (102-M34) Rapoport, J. R., and Shah, S. P., Sept.-Oct. 2005 | 299 | |
| —Effect of coarse aggregate characteristics on lateral pressure exerted by self-consolidating concrete (102-M16) Assaad, J., and Khayat, K. H., May-June 2005 | 145 | |
| —New viscometer for measuring flow properties of fluid concrete (102-M45) Rosshavelov, T. T., Nov.-Dec. 2005 | 397 | |
| Richardson, M. G. | Reactivity assessment of aggregates: role of chert crystallinity (102-M18) May-June 2005 | 163 |
| Rosshavelov, T. T. | New viscometer for measuring flow properties of fluid concrete (102-M45) Nov.-Dec. 2005 | 397 |
| Rupture | Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Banthia, N., and Soleimani, S. M., Nov.-Dec. 2005 | 382 |
| S | | |
| Scanning electron microscopy | Microanalytical and computational analysis of class F fly ash (102-M38) Williams, P. J.; Biernacki, J. J.; Rawl, C. J.; Walker, L.; and Bai, J., Sept.-Oct. 2005 | 330 |
| Schabowicz, K. | Methodology of neural identification of strength of concrete (102-M53) Nov.-Dec. 2005 | 459 |
| Schindler, A. K. | Heat of hydration models for cementitious materials (102-M04) Jan.-Feb. 2005 | 24 |
| Sedran, T. | | |
| —Avoidance of blockages in concrete pumping process (102-M21) May-June 2005 | 183 | |
| —Design of concrete pumping circuit (102-M13) Mar.-Apr. 2005 | 110 | |
| Segregation | Stability of fresh lightweight aggregate concrete under vibration (102-M40) Chia, K.-S.; Kho, C.-C.; and Zhang, M.-H., Sept.-Oct. 2005 | 347 |
| Seignol, J.-F. | Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Mar.-Apr. 2005 | 67 |
| Sengul, O. | Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Nov.-Dec. 2005 | 414 |
| Shah, S. P. | | |
| —Cast-in-place cellulose fiber-reinforced cement paste, mortar, and concrete (102-M34) Sept.-Oct. 2005 | 299 | |
| —Microstructure and early-age properties of portland cement paste—effects of connectivity of solid phases (102-M15) Mar.-Apr. 2005 | 122 | |
| —Temperature effects on strength evaluation of cement-based materials with ultrasonic wave reflection technique (102-M31) July-Aug. 2005 | 272 | |
| Shear | Shear wave velocity in concrete cylinders (piles)—universal mode method (102-M17) Finno, R. J., and Chao, H., May-June 2005 | 154 |
| Shear wave velocity in concrete cylinders (piles)—universal mode method | (102-M17) Finno, R. J., and Chao, H., May-June 2005 | 154 |
| Shi, C. | Mixture proportioning and properties of self-consolidating lightweight concrete containing glass powder (102-M41) Sept.-Oct. 2005 | 355 |
| Shrinkage | | |
| —Cast-in-place cellulose fiber-reinforced cement paste, mortar, and concrete (102-M34) Rapoport, J. R., and Shah, S. P., Sept.-Oct. 2005 | 299 | |
| —Review of ACI recommendations for prevention of plastic cracking, A (102-M35) Morris, P. H., and Dux, P. F., Sept.-Oct. 2005 | 307 | |
| —Statistical evaluation of shrinkage and creep models (102-M19) Al-Manaseer, A., and Lam, J.-P., May-June 2005 | 170 | |
| Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment | (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 | 86 |
| Sida, V. | Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) May-June 2005 | 177 |
| Silica fume | | |
| —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Zhang, M.-H.; Li, L.; and Paramasivam, P., Mar.-Apr. 2005 | 86 | |
| —Strain-sensing characteristics of carbon fiber-reinforced cement (102-M27) Wen, S., and Chung, D. D. L., July-Aug. 2005 | 244 | |
| Singh, S. P. | Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Nov.-Dec. 2005 | 438 |
| Size effect | Dynamic size effect in normal- and high-strength concrete cylinders (102-M09) Elfahal, M. M., and Krauthammer, T., Mar.-Apr. 2005 | 77 |
| Slag | Heat of hydration models for cementitious materials (102-M04) Schindler, A. K., and Folliard, K. J., Jan.-Feb. 2005 | 24 |
| Slump | Proportioning workable concrete mixtures with specific gravity of cement-water paste (102-M39) Cannon, R. W., Sept.-Oct. 2005 | 338 |
| Smith, I. F. C. | Three-day prediction of concrete compressive strength evolution (102-M25) July-Aug. 2005 | 231 |
| Soleimani, S. M. | Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Nov.-Dec. 2005 | 382 |
| Soutsos, M. N. | Pullout test correlations and in-place strength assessment—the european concrete frame building project (102-M48) Nov.-Dec. 2005 | 422 |
| Spirals | Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 | 445 |
| Stability of fresh lightweight aggregate concrete under vibration | (102-M40) Chia, K.-S.; Kho, C.-C.; and Zhang, M.-H., Sept.-Oct. 2005 | 347 |
| Statistical evaluation of shrinkage and creep models | (102-M19) Al-Manaseer, A., and Lam, J.-P., May-June 2005 | 170 |
| Stauffer, J. D. | Nonlinear ultrasonic testing with resonant and pulse velocity parameters for early damage in concrete (102-M14) Mar.-Apr. 2005 | 118 |
| Steel reinforcement—surface condition effects on critical chloride threshold of steel reinforcement | (102-M12) Pillai, R. G., and Trejo, D., Mar.-Apr. 2005 | 103 |
| Strain | Strain-sensing characteristics of carbon fiber-reinforced cement (102-M27) Wen, S., and Chung, D. D. L., July-Aug. 2005 | 244 |
| Strain-sensing characteristics of carbon fiber-reinforced cement | (102-M27) Wen, S., and Chung, D. D. L., July-Aug. 2005 | 244 |
| Strength | | |
| —Artificial neural networks in prediction of concrete strength reduction due to high temperature (102-M11) Chiang, C.-H., and Yang, C.-C., Mar.-Apr. 2005 | 93 | |
| —Flexural response of hybrid fiber-reinforced cementitious composites (102-M43) Banthia, N., and Soleimani, S. M., Nov.-Dec. 2005 | 382 | |
| —High-early-strength magnesium phosphate cement with fly ash (102-M42) Ding, Z., and Li, Z., Nov.-Dec. 2005 | 375 | |
| —Pullout test correlations and in-place strength assessment—the european concrete frame building project (102-M48) Soutsos, M. N.; Bungey, J. H.; and Long, A. E., Nov.-Dec. 2005 | 422 | |
| —Strength and elastic modulus of carbonated concrete (102-M36) Chang, C.-F., and Chen, J.-W., Sept.-Oct. 2005 | 315 | |
| —Three-day prediction of concrete compressive strength evolution (102-M25) Viviani, M.; Glisic, B.; and Smith, I. F. C., July-Aug. 2005 | 231 | |
| —Tracking concrete strength under variable high temperature (102-M37) Tsai, C.-L.; Chiang, C.-H.; Yang, C.-C.; and Chen, C.-M., Sept.-Oct. 2005 | 322 | |
| Strength and elastic modulus of carbonated concrete | (102-M36) Chang, C.-F., and Chen, J.-W., Sept.-Oct. 2005 | 315 |
| Stress | Flexural fatigue analysis of steel fibrous concrete containing mixed fibers (102-M50) Singh, S. P.; Mohammadi, Y.; and Kaushik, S. K., Nov.-Dec. 2005 | 438 |
| Structural behavior of concrete beams affected by alkali-silica reaction | (102-M08) Multon, S.; Seignol, J.-F.; and Toutlemonde, F., Mar.-Apr. 2005 | 67 |
| Suctions, fracture energy, and plastic cracking of cement mortar and concrete | (102-M44) Morris, P. H., and Dux, P. F., Nov.-Dec. 2005 | 390 |
| Sujivannich, S. | Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) May-June 2005 | 177 |
| Sulfate attack | Sulfate attack of mortars containing recycled fine aggregates (102-M24) Lee, S. T.; Moon, H. Y.; Swamy, R. N.; Kim, S. S.; and Kim, J. P., July-Aug. 2005 | 224 |
| Sulfate attack of mortars containing recycled fine aggregates | (102-M24) Lee, S. T.; Moon, H. Y.; Swamy, R. N.; Kim, S. S.; and Kim, J. P., July-Aug. 2005 | 224 |
| Sun, Z. | | |
| —Microstructure and early-age properties of portland cement paste—effects of connectivity of solid phases (102-M15) Mar.-Apr. 2005 | 122 | |
| —Temperature effects on strength evaluation of cement-based materials with ultrasonic wave reflection technique (102-M31) July-Aug. 2005 | 272 | |
| Surface condition effect on critical chloride threshold of steel reinforcement | (102-M12) Pillai, R. G., and Trejo, D., Mar.-Apr. 2005 | 103 |
| Suwanyitaya, P. | Chloride permeability and corrosion risk of high-volume fly ash concrete with mid-range water reducer (102-M20) May-June 2005 | 177 |
| Swamy, R. N. | Sulfate attack of mortars containing recycled fine aggregates (102-M24) July-Aug. 2005 | 224 |

T

Tasdemir, C.—Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Nov.-Dec. 2005
 414 |

| | | |
|---|-----|-----|
| Tasdemir, M. A. —Mechanical properties and rapid chloride permeability of concretes with ground fly ash (102-M47) Nov.-Dec. 2005 | 414 | |
| Temperature | | |
| —Pullout test correlations and in-place strength assessment—the european concrete frame building project (102-M48) Soutsos, M. N.; Bungey, J. H.; and Long, A. E., Nov.-Dec. 2005 | 422 | |
| —Review of ACI recommendations for prevention of plastic cracking, a (102-M35) Morris, P. H., and Dux, P. F., Sept.-Oct. 2005 | 322 | |
| —Tracking concrete strength under variable high temperature (102-M37) Tsai, C.-L.; Chiang, C.-H.; Yang, C.-C.; and Chen, C.-M., Sept.-Oct. 2005 | 322 | |
| Temperature effects on strength evaluation of cement-based materials with ultrasonic wave reflection technique (102-M31) Sun, Z.; Voigt, T.; and Shah, S. P., July-Aug. 2005 | | 272 |
| Tensile strength | | |
| —Effects of shock vibration on concrete (102-M46) Kwan, A. K. H.; Zheng, W.; and Ng, I. Y. T., Nov.-Dec. 2005 | 405 | |
| —Pultruded fabric-cement composites (102-M03) Peled, A., and Mobasher, B., Jan.-Feb. 2005 | 15 | |
| Test | | |
| —Avoidance of blockages in concrete pumping process (102-M21) Kaplan, D.; de Larrard, F.; and Sedran, T., May-June 2005 | 183 | |
| —Design of concrete pumping circuit (102-M13) Kaplan, D.; de Larrard, F.; and Sedran, T., Mar.-Apr. 2005 | 110 | |
| —Effect of chloride source concentration on chloride diffusivity in concrete (102-M33) Zhang, T., and Gjørv, O. E., Sept.-Oct. 2005 | 295 | |
| —High-early-strength magnesium phosphate cement with fly ash (102-M42) Ding, Z., and Li, Z., Nov.-Dec. 2005 | 375 | |
| —Modified ACI drop-weight impact test for concrete (102-M28) Badr, A., and Ashour, A. F., July-Aug. 2005 | 249 | |
| —New viscometer for measuring flow properties of fluid concrete (102-M45) Roshavelov, T. T., Nov.-Dec. 2005 | 397 | |
| —Nonlinear ultrasonic testing with resonant and pulse velocity parameters for early damage in concrete (102-M14) Stauffer, J. D.; Woodward, C. B.; and White, K. R., Mar.-Apr. 2005 | 118 | |
| —Shear wave velocity in concrete cylinders (piles)—universal mode method (102-M17) Jan.-Feb. 2005 | 154 | |
| —Statistical evaluation of shrinkage and creep models (102-M19) Al-Manaseer, A., and Lam, J.-P., Jan.-Feb. 2005 | 170 | |
| Thixotropy —Formwork pressure of self-consolidating concrete made with various binder types and contents (102-M23) Assaad, J., and Khayat, K. H., July-Aug. 2005 | 215 | |
| Three-day prediction of concrete compressive strength evolution (102-M25) Viviani, M.; Glisic, B.; and Smith, I. F. C., July-Aug. 2005 | | 231 |
| Tsai, C.-L. —Tracking concrete strength under variable high temperature (102-M37) Sept.-Oct. 2005 | 322 | |
| Toutlemonde, F. —Structural behavior of concrete beams affected by alkali-silica reaction (102-M08) Mar.-Apr. 2005 | 67 | |
| Tracking concrete strength under variable high temperature (102-M37) Tsai, C.-L.; Chiang, C.-H.; Yang, C.-C.; and Chen, C.-M., Sept.-Oct. 2005 | | 322 |
| Trejo, D. | | |
| —Corrosion of metallic materials in controlled low-strength materials—part 3 (102-M49) Nov.-Dec. 2005 | 429 | |
| —Corrosion of metallic pipe in controlled low-strength materials—parts 1 and 2 (102-M22) May-June 2005 | 192 | |
| —Surface condition effects on critical chloride threshold of steel reinforcement (102-M12) Mar.-Apr. 2005 | 103 | |
| U | | |
| Ultrasonic —Temperature effects on strength evaluation of cement-based materials with ultrasonic wave reflection technique (102-M31) Sun, Z.; Voigt, T.; and Shah, S. P., July-Aug. 2005 | | 272 |
| Uniaxial stress-strain relationship of spirally confined concrete (102-M51) Leung, H. Y., and Burgoyne, C. J., Nov.-Dec. 2005 | | 445 |
| V | | |
| Vapor pressure —Review of ACI recommendations for prevention of plastic cracking, A (102-M35) Morris, P. H., and Dux, P. F., Sept.-Oct. 2005 | | 307 |
| Vibration —Stability of fresh lightweight aggregate concrete under vibration (102-M40) Chia, K.-S.; Kho, C.-C.; and Zhang, M.-H., Sept.-Oct. 2005 | | 347 |
| Vibration limit —Effects of shock vibration on concrete (102-M46) Kwan, A. K. H.; Zheng, W.; and Ng, I. Y. T., Nov.-Dec. 2005 | | 405 |
| W | | |
| —Shrinkage of high-strength lightweight aggregate concrete exposed to dry environment (102-M10) Mar.-Apr. 2005 | 86 | |
| —Stability of fresh lightweight aggregate concrete under vibration (102-M40) Sept.-Oct. 2005 | 347 | |
| Zhang, T. —Effect of chloride source concentration on chloride diffusivity in concrete (102-M33) Sept.-Oct. 2005 | 295 | |
| Zhang, Z. —Automated determination of entrained air-void parameters in hardened concrete (102-M06) Jan.-Feb. 2005 | 42 | |
| Zheng, J. J. —Characterization of microstructure of interfacial transition zone in concrete (102-M30) July-Aug. 2005 | 265 | |
| Zheng, W. —Effects of shock vibration on concrete (102-M46) Nov.-Dec. 2005 | 405 | |
| Zhou, X. Z. —Characterization of microstructure of interfacial transition zone in concrete (102-M30) July-Aug. 2005 | 265 | |

